



WE HAVE SOLUTIONS TO HELP THE SPREAD

Let's work together to stop the spread of COVID-19.

Laminators offers a wide variety of customizable panels to help maintain social distancing, storage options for PPE, interior & exterior signage, and so much more.

Why Choose Laminators' Corrugated and Wood Core Composite Panels...

- Resistant to chemicals and corrosion
- Easy to clean & maintain
- Strong & lightweight
- Class A (ASTM E-84) flame spread rating
- Double-sided panels for modular/free-standing rooms (i.e. clean rooms, medical room pop-ups, classrooms, school pods)
- Easy to fabricate
 - Routs and cuts using standard carpentry tools
 - V-groove and bend for 90-degree corners
- Digital print-ready*
 - Add your own customized messages & graphics to panels
- Panel thicknesses range from 2mm to 25mm (5/64" to 1")

*Digital printing is not completed by Laminators Inc.

APPLICATIONS

Interior Dividers & Barriers

- Waiting Rooms
- Offices
- Classrooms/School Pods
- Cafeterias
- Manufacturing Areas
- Restaurants
- Retail
- Casinos

Personal Protective Equipment (PPE)
Dispensers/Organizers

Signage & Wayfinding

Pop-up Medical Facilities

Clean Rooms

We have TWO warehouses in the United States, which means you'll get your products quickly and without any hassle!

Call 888.OMEGA.77 to speak with a sales representative to assist you in picking the best product(s) for your application.

check out our

[PROJECT PORTFOLIO](#)



HIGH PERFORMANCE COMPOSITE PANELS

Laminators' composite panels are comprised of aluminum or vinyl sheets bonded to various high-grade cores (high-density corrugated polypropylene or wood), making them strong, lightweight, and water-resistant. *They're the perfect solution for use in social distancing signage and applications!*

These panels have material bonded to both sides, providing excellent rigidity, strength, and durability. They will not swell, corrode, rot, wick water, or delaminate.

Our array of cores as well as various thicknesses, sheet sizes, and double-/single-sided sheets give you the ability to satisfy any project requirements.

CORRUGATED PLASTIC CORE PANELS

Alumalite®/Econolite®

Corrugated plastic core with double- or single-sided aluminum composite panel. Strong and lightweight.

Specifications

- Thickness: 6mm, 10mm, 15mm*, 25mm*
- Sheets: range from 4'x8' to 5'x12'

*Alumalite only

D-Lite™

High-density corrugated plastic core with painted aluminum face. One of our thinnest panels and 10 times more rigid than .040" aluminum.

Specifications

- Thickness: 3mm
- Sheets: 4' x 8' / 4' x 10'

Pro-Lite™

Single-profile core, painted faces on both sides. Lightweight and amazingly strong.

Specifications

- Thickness: 10mm, 25mm
- Sheets: 4' x 8' / 4' x 10' / 5' x 10'

WOOD CORE PANELS

Omega SignBoard®

Corrugated plastic core with double- or single-sided aluminum composite panel. Strong and lightweight.

Specifications

- Thickness: 1/2"
- Sheets: 4' x 8' / 4' x 10'

LusterBoard®/SignPly®

Painted aluminum bonded to one or two sides of furniture-grade exterior plywood core. Features a light yet rigid construction, allowing for easier handling and installation.

Specifications

- Thickness: 1/4" and 1/2"
- Sheets: 4' x 8' / 4' x 10'

All panels are resistant to moisture, corrosion, & chemicals

Ask about our fabrication services!

Call 888.OMEGA.77 to speak with a sales representative to assist you in picking the best product(s) for your application.

CLEANING PANELS

It's always important to keep hard surfaces germ and dirt free. Cleaning and maintaining your Laminators' panels is simple and economical!

Cleaning Panels Prior to Graphic Application (If Applicable)

- ✓ Clean panels with a soft, color-free and lint-free cloth moistened with 99% isopropyl alcohol prior to applying any graphics
- ✓ Wipe the panel in a single (non-circular) direction
 - This helps to ensure that fine particles, smudges, or fingerprints do not affect your final print



Routine Surface Cleaning (After Installation)

- ✓ Panels should be washed periodically to keep them clean, bright and dirt free
- ✓ Consult with the manufacturer(s) of the applied (ink, vinyl, paint, etc.) graphics for cleaning recommendations—it's good practice to test in an inconspicuous area before using on full scale



Questions? Call 888.OMEGA.77 to speak with a representative.